

| Bezeichnung | | | | | | | | | | |
|---|---------------------------|-------|-------|-------|-------|----------------|-------|-------|-------|--|
| Gummi-Antirutschmatte 1072 schwarz z.B. Ladungssicherung | Dicke (mm) | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 | 10.0 | 12.0 | 15.0 | |
| | Format (m) 6.0 x 1.25 | - | - | - | - | - | ● | ● | - | |
| | Format (m) 8.0 x 1.25 | - | - | - | - | ● | - | - | - | |
| | Format (m) 10.0 x 1.25 | - | - | - | ● | - | - | - | - | |
| | Format (m) 20.0 x 1.25 | ● | - | ● | - | - | - | - | - | |
| | Format (m) 25.0 x 1.25 | - | ● | - | - | - | - | - | - | |
| | Artikelnummer | 10001 | 10002 | 10003 | 10004 | 10005 | 10006 | 10007 | 10008 | |
| Gummi-Antirutschmatte 1280 schwarz | Dicke (mm) | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 | 10.0 | | | |
| | Format (m) 6.0 x 1.5 | - | - | - | - | - | ● | | | |
| | Format (m) 8.0 x 1.5 | - | - | - | - | ● | - | | | |
| | Format (m) 10.0 x 1.5 | - | - | - | ● | - | - | | | |
| | Format (m) 12.0 x 1.5 | - | - | ● | - | - | - | | | |
| | Format (m) 20.0 x 1.5 | ● | ● | - | - | - | - | | | |
| | Artikelnummer | 10009 | 10010 | 10011 | 10012 | 10013 | 10014 | | | |
| Gummi-Antirutschmatte Protect, bunt z.B. Ladungssicherung | Dicke (mm) | 6.0 | 8.0 | 10.0 | | | | | | |
| | Format (m) 6.0 x 1.25 | - | - | ● | | | | | | |
| | Format (m) 8.0 x 1.25 | - | ● | - | | | | | | |
| | Format (m) 10.0 x 1.25 | ● | - | - | | | | | | |
| Artikelnummer | 10015 | 10016 | 10017 | | | | | | | |
| Gummi-Antirutschmatte Spezial z.B. Ladungssicherung | Dicke (mm) | 3.0 | 6.0 | 8.0 | 10.0 | | | | | |
| | Format (m) 6.0 x 1.25 | - | - | - | ● | | | | | |
| | Format (m) 8.0 x 1.25 | - | - | ● | - | | | | | |
| | Format (m) 10.0 x 1.25 | - | ● | - | - | | | | | |
| | Format (m) 20.0 x 1.25 | ● | - | - | - | | | | | |
| Artikelnummer | 10018 | 10019 | 10020 | 10021 | | | | | | |
| Gummirecyclingmatte TOP schwarz / bunt z.B. Bauwesen | Dicke (mm) | 3.0 | 4.0 | 6.0 | 8.0 | 10.0 | 15.0 | 20.0 | | |
| | Format (m) 2.0 x 1.25 | - | - | - | - | - | - | ● | | |
| | Format (m) 2.3 x 1.25 | - | - | - | - | ● | ● | - | | |
| | Format (m) 6.0 x 1.25 | - | - | - | - | ● | - | - | | |
| | Format (m) 10.0 x 1.25 | - | - | ● | ● | - | - | - | | |
| | Format (m) 15.0 x 1.25 | - | ● | - | - | - | - | - | | |
| | Format (m) 20.0 x 1.25 | ● | - | - | - | - | - | - | | |
| | Artikelnummer | 10022 | 10023 | 10024 | 10025 | 10026 10027 | 10028 | 10029 | | |

| Bezeichnung | | | | | | | | | | |
|--|---------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Gummirecyclingmatte 1065 schwarz / bunt z.B. Bauwesen | Dicke (mm) | 3.0 | 4.0 | | | | | | | |
| | Format (m) 10.0 x 1.25 | ● | ● | | | | | | | |
| | Artikelnummer | 10030 | 10031 | | | | | | | |
| Butyl 60 ±5 Sh A EPDM | Dicke (mm) | 1.0 | 1.5 | 2.0 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 | 10.0 |
| | Format (m) 5.0 x 1.4 | - | - | - | - | - | - | - | ● | ● |
| | Format (m) 10.0 x 1.4 | - | - | - | ● | ● | ● | ● | - | - |
| | Format (m) 20.0 x 1.4 | ● | ● | ● | - | - | - | - | - | - |
| | Artikelnummer | 10032 | 10033 | 10034 | 10035 | 10036 | 10037 | 10038 | 10039 | 10040 |
| CR 80 80 ±5 Sh A | Dicke (mm) | 1.0 | 1.5 | 2.0 | 2.5 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 |
| | Format (m) 5.0 x 1.5 | - | - | - | - | - | - | - | - | ● |
| | Format (m) 10.0 x 1.5 | - | - | - | ● | ● | ● | ● | ● | - |
| | Format (m) 30.0 x 1.5 | ● | ● | ● | - | - | - | - | - | - |
| | Artikelnummer | 10041 | 10042 | 10043 | 10044 | 10045 | 10046 | 10047 | 10048 | 10049 |
| | Dicke (mm) | 10.0 | | | | | | | | |
| | Format (m) 5.0 x 1.5 | ● | | | | | | | | |
| Artikelnummer | 10050 | | | | | | | | | |
| CR-K 65 ±5 Sh A | Dicke (mm) | 0.5 | | | | | | | | |
| | Format (m) 30.0 x 1.2 | ● | | | | | | | | |
| | Artikelnummer | 10051 | | | | | | | | |
| CR / SBR 50 ±5 Sh A | Dicke (mm) | 1.0 | 1.5 | 2.0 | 2.5 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 |
| | Format (m) 5.0 x 1.2 | - | - | - | - | - | - | - | - | ● |
| | Format (m) 10.0 x 1.2 | - | - | - | ● | ● | ● | ● | ● | - |
| | Format (m) 20.0 x 1.2 | ● | ● | ● | - | - | - | - | - | - |
| | Artikelnummer | 10052 | 10053 | 10054 | 10055 | 10056 | 10057 | 10058 | 10059 | 10060 |
| | Dicke (mm) | 10.0 | 12.0 | 15.0 | 20.0 | | | | | |
| | Format (m) 2.0 x 1.2 | - | ● | ● | ● | | | | | |
| | Format (m) 5.0 x 1.2 | ● | - | - | - | | | | | |
| Artikelnummer | 10061 | 10062 | 10063 | 10064 | | | | | | |
| CR / SBR 60 ±5 Sh A hell | Dicke (mm) | 1.0 | 1.5 | 2.0 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 | 10.0 |
| | Format (m) 5.0 x 1.2 | - | - | - | - | - | - | ● | ● | ● |
| | Format (m) 10.0 x 1.5 | - | - | - | ● | ● | ● | - | - | - |
| | Format (m) 30.0 x 1.5 | ● | ● | ● | - | - | - | - | - | - |
| | Artikelnummer | 10065 | 10066 | 10067 | 10068 | 10069 | 10070 | 10071 | 10072 | 10073 |

| Bezeichnung | | | | | | | | | | |
|--------------------------------------|--------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| CR / SBR 65 ±5 Sh A | Dicke (mm) | 1.0 | 1.5 | 2.0 | 2.5 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 |
| | Format (m) 5.0 x 1.2 | - | - | - | - | - | - | - | - | • |
| | Format (m) 10.0 x 1.2 | - | - | - | • | • | • | • | • | - |
| | Format (m) 20.0 x 1.2 | • | • | • | - | - | - | | | |
| | Artikelnummer | 10074 | 10075 | 10076 | 10077 | 10078 | 10079 | 10080 | 10081 | 10082 |
| | Dicke (mm) | 10.0 | 12.0 | 15.0 | 20.0 | 25.0 | 30.0 | 35.0 | 40.0 | 50.0 |
| | Format (m) 1.5 x 1.0 | - | • | • | • | • | • | • | • | • |
| | Format (m) 5.0 x 1.2 | • | - | - | - | - | - | - | - | - |
| | Format (m) 10.0 x 1.2 | - | - | - | - | - | - | - | - | - |
| | Format (m) 20.0 x 1.2 | - | - | - | - | - | - | - | - | - |
| | Artikelnummer | 10083 | | | | | | | | |
| CR / SBR 65 ±5 Sh A 1 Einlage | Dicke (mm) | 1.5 | 2.0 | 3.0 | 4.0 | 5.0 | 6.0 | | | |
| | Format (m) 5.0 x 1.2 | - | - | - | - | - | • | | | |
| | Format (m) 10.0 x 1.2 | - | - | • | • | • | - | | | |
| | Format (m) 20.0 x 1.2 | • | • | - | - | - | - | | | |
| | Artikelnummer | 10087 | 10088 | 10089 | 10090 | 10091 | 10092 | | | |
| CR / SBR 65 ±5 Sh A 2 Einlagen | Dicke (mm) | 3.0 | 5.0 | 6.0 | | | | | | |
| | Format (m) 5.0 x 1.2 | - | - | • | | | | | | |
| | Format (m) 10.0 x 1.2 | • | • | - | | | | | | |
| | Artikelnummer | 10093 | 10094 | 10095 | | | | | | |
| CSM 70 ±5 Sh A (Hypalon) | Dicke (mm) | 1.0 | 1.5 | 2.0 | 2.5 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 |
| | Format (m) 5.0 x 1.2 | - | - | - | - | - | - | - | • | • |
| | Format (m) 10.0 x 1.2 | - | - | - | • | • | • | • | - | - |
| | Format (m) 20.0 x 1.2 | • | • | • | - | - | - | - | - | - |
| | Artikelnummer | 10096 | 10097 | 10098 | 10099 | 10100 | 10101 | 10102 | 10103 | 10104 |
| | Dicke (mm) | 10.0 | | | | | | | | |
| | Format (m) 5.0 x 1.2 | • | | | | | | | | |
| | Artikelnummer | 10105 | | | | | | | | |

| Bezeichnung | | | | | | | | | | |
|--|--------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| EPDM 25 ±5 Sh A | Dicke (mm) | 1.0 | 1.5 | 2.0 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 | 10.0 |
| | Format (m) 3.6 x 1.2 | - | - | - | - | - | ● | ● | ● | ● |
| | Format (m) 10.0 x 1.3 | ● | ● | ● | ● | ● | - | - | - | - |
| | Artikelnummer | 10106 | 10107 | 10108 | 10109 | 10110 | 10111 | 10112 | 10113 | 10114 |
| EPDM 50 ±5 Sh A | Dicke (mm) | 1.0 | 1.5 | 2.0 | 2.5 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 |
| | Format (m) 5.0 x 1.4 | - | - | - | - | - | - | - | - | ● |
| | Format (m) 10.0 x 1.4 | - | - | - | ● | ● | ● | ● | ● | - |
| | Format (m) 20.0 x 1.4 | ● | ● | ● | - | - | - | - | - | - |
| | Artikelnummer | 10115 | 10116 | 10117 | 10118 | 10119 | 10120 | 10121 | 10122 | 10123 |
| | Dicke (mm) | 10.0 | | | | | | | | |
| | Format (m) 5.0 x 1.4 | ● | | | | | | | | |
| | Artikelnummer | 10124 | | | | | | | | |
| EPDM C50 50 ±5 Sh A | Dicke (mm) | 1.0 | 1.5 | 2.0 | 2.5 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 |
| | Format (m) 5.0 x 1.2 | - | - | - | - | - | - | - | - | ● |
| | Format (m) 10.0 x 1.2 | - | - | - | ● | ● | ● | ● | ● | - |
| | Format (m) 20.0 x 1.2 | ● | ● | ● | - | - | - | - | - | - |
| | Artikelnummer | 10125 | 10126 | 10127 | 10128 | 10129 | 10130 | 10131 | 10132 | 10133 |
| | Dicke (mm) | 10.0 | | | | | | | | |
| | Format (m) 5.0 x 1.2 | ● | | | | | | | | |
| | Artikelnummer | 10134 | | | | | | | | |
| EPDM 60 60 ±5 Sh A | Dicke (mm) | 1.0 | 1.5 | 2.0 | 2.5 | 3.0 | 4.0 | 4.5 | 5.0 | 6.0 |
| | Format (m) 5.0 x 1.2 | - | - | - | - | - | - | - | - | ● |
| | Format (m) 10.0 x 1.2 | - | - | - | ● | ● | ● | ● | ● | ● |
| | Format (m) 20.0 x 1.2 | ● | ● | ● | - | - | - | - | - | - |
| | Artikelnummer | 10136 | 10137 | 10138 | 10139 | 10140 | 10141 | 10142 | 10143 | 10144 |
| | Dicke (mm) | 8.0 | 10.0 | | | | | | | |
| | Format (m) 5.0 x 1.2 | ● | ● | | | | | | | |
| | Artikelnummer | 10145 | 10146 | | | | | | | |
| EPDM 60 60 +10/-5 Sh A 1 Einlage | Dicke (mm) | 1.5 | 2.0 | 3.0 | 4.0 | 5.0 | 6.0 | | | |
| | Format (m) 5.0 x 1.2 | - | - | - | - | - | ● | | | |
| | Format (m) 10.0 x 1.2 | - | - | ● | ● | ● | - | | | |
| | Format (m) 20.0 x 1.2 | ● | ● | - | - | - | - | | | |
| | Artikelnummer | 10153 | 10154 | 10155 | 10156 | 10157 | 10158 | | | |

| | | | | | | | | | | |
|---|--------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Bezeichnung | | | | | | | | | | |
| EPDM 60 60 +10/-5 Sh A 2 Einlagen | Dicke (mm) | 3.0 | 4.0 | 5.0 | 6.0 | | | | | |
| | Format (m) 5.0 x 1.2 | - | - | - | • | | | | | |
| | Format (m) 10.0 x 1.2 | • | • | • | - | | | | | |
| | Artikelnummer | 10159 | 10160 | 10161 | 10162 | | | | | |
| EPDM C60 60 +5/-10 Sh A hell FDA-Konform | Dicke (mm) | 1.0 | 1.5 | 2.0 | 3.0 | 4.0 | 5.0 | | | |
| | Format (m) 10.0 x 1.2 | - | - | - | • | • | • | | | |
| | Format (m) 20.0 x 1.2 | • | • | • | - | • | - | | | |
| | Artikelnummer | 10163 | 10164 | 10165 | 10166 | 10167 | 10168 | | | |
| EPDM-E 70 ±5 Sh A | Dicke (mm) | 1.0 | 1.5 | 2.0 | 2.5 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 |
| | Format (m) 5.0 x 1.4 | - | - | - | - | - | - | - | - | • |
| | Format (m) 10.0 x 1.4 | - | - | - | • | • | • | • | • | - |
| | Format (m) 20.0 x 1.4 | • | • | • | - | - | - | - | - | - |
| | Artikelnummer | 10169 | 10170 | 10171 | 10172 | 10173 | 10174 | 10175 | 10176 | 10177 |
| | Dicke (mm) | 10.0 | 12.0 | 15.0 | 20.0 | | | | | |
| | Format (m) 5.0 x 1.4 | • | • | • | • | | | | | |
| | Artikelnummer | 10178 | 10179 | 10180 | 10181 | | | | | |
| EPDM 70 ±5 Sh A KTW | Dicke (mm) | 0.5 | 1.0 | 1.5 | 2.0 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 |
| | Format (m) 5.0 x 1.4 | - | - | - | - | - | - | - | - | • |
| | Format (m) 10.0 x 1.4 | - | - | - | - | • | • | • | • | - |
| | Format (m) 20.0 x 1.4 | • | • | • | • | - | - | - | - | - |
| | Artikelnummer | 10182 | 10183 | 10184 | 10185 | 10186 | 10187 | 10188 | 10189 | 10190 |
| | Dicke (mm) | 10.0 | | | | | | | | |
| | Format (m) 5.0 x 1.4 | • | | | | | | | | |
| | Artikelnummer | 10191 | | | | | | | | |
| EPDM 80 ±5 Sh A | Dicke (mm) | 1.0 | 1.5 | 2.0 | 2.5 | 3.0 | 3.5 | 4.0 | 5.0 | 6.0 |
| | Format (m) 5.0 x 1.2 | - | - | - | - | - | - | - | • | • |
| | Format (m) 10.0 x 1.4 | • | • | • | • | • | • | • | - | - |
| | Artikelnummer | 10192 | 10193 | 10194 | 10195 | 10196 | 10197 | 10198 | 10199 | 10200 |
| | Dicke (mm) | 8.0 | 10.0 | | | | | | | |
| | Format (m) 5.0 x 1.2 | • | • | | | | | | | |
| | Artikelnummer | 10201 | 10202 | | | | | | | |

| Bezeichnung | | | | | | | | | | |
|---|--------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| EPDM 90 ±5 Sh A KTW | Dicke (mm) | 1.0 | 1.5 | 2.0 | 2.5 | 3.0 | 3.5 | 4.0 | 5.0 | 6.0 |
| | Format (m) 5.0 x 1.2 | - | - | - | - | - | - | - | ● | ● |
| | Format (m) 10.0 x 1.4 | ● | ● | ● | ● | ● | ● | ● | - | - |
| | Artikelnummer | 10203 | 10204 | 10205 | 10206 | 10207 | 10208 | 10209 | 10210 | 10211 |
| EPDM UL 94 65 ±5 Sh A | Dicke (mm) | 1.0 | 2.0 | 3.0 | | | | | | |
| | Format (m) 10.0 x 1.5 | - | - | ● | | | | | | |
| | Format (m) 30.0 x 1.2 | ● | ● | - | | | | | | |
| | Artikelnummer | 10212 | 10213 | 10214 | | | | | | |
| Alle Standarddicken lieferbar, Brandverhalten nach DIN 4102 B1, UL 94, V0 | | | | | | | | | | |
| EPDM 60 ±5 Sh A hell FDA | Dicke (mm) | 1.0 | 1.5 | 2.0 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 | 10.0 |
| | Format (m) 5.0 x 1.4 | - | - | - | - | - | - | ● | ● | ● |
| | Format (m) 10.0 x 1.4 | - | - | - | ● | ● | ● | - | - | - |
| | Format (m) 30.0 x 1.4 | ● | ● | ● | - | - | - | - | - | - |
| Artikelnummer | 10215 | 10216 | 10217 | 10218 | 10219 | 10220 | 10221 | 10222 | 10223 | |
| EPDM-KL 65 ±5 Sh A FDA, KTW | Dicke (mm) | 0.5 | 1.0 | 1.5 | 2.0 | 2.5 | 3.0 | 4.0 | 5.0 | 6.0 |
| | Format (m) 3.6 x 1.2 | - | - | - | - | - | - | - | - | - |
| | Format (m) 10.0 x 1.4 | - | - | - | - | ● | ● | ● | ● | ● |
| | Format (m) 20.0 x 1.4 | ● | ● | ● | ● | - | - | - | - | - |
| | Artikelnummer | 10224 | 10225 | 10226 | 10227 | 10228 | 10229 | 10230 | 10231 | 10232 |
| | Dicke (mm) | 8.0 | 10.0 | 12.0 | 15.0 | | | | | |
| | Format (m) 3.6 x 1.2 | ● | ● | ● | ● | | | | | |
| | Format (m) 10.0 x 1.4 | - | - | - | - | | | | | |
| | Format (m) 20.0 x 1.4 | - | - | - | - | | | | | |
| Artikelnummer | 10233 | 10234 | 10235 | 10236 | | | | | | |
| EPDM-BAU 60 ±5 Sh A | Dicke (mm) | 2.0 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 | 10.0 | | |
| | Format (m) 3.6 x 1.2 | - | - | - | - | - | ● | ● | | |
| | Format (m) 10.0 x 1.3 | ● | ● | ● | ● | ● | - | - | | |
| Artikelnummer | 10235 | 10236 | 10237 | 10238 | 10239 | 10240 | 10241 | | | |
| EPDM-KA 60 ±5 Sh A | Dicke (mm) | 1.5 | 2.0 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 | 10.0 | 12.0 |
| | Format (m) 3.6 x 1.2 | - | - | - | - | - | - | - | ● | ● |
| | Format (m) 10.0 x 1.4 | - | ● | ● | ● | ● | ● | - | - | - |
| | Format (m) 20.0 x 1.4 | ● | - | - | - | - | - | - | - | - |
| Artikelnummer | 10242 | 10243 | 10244 | 10245 | 10246 | 10247 | 10248 | 10249 | 10250 | |

| Bezeichnung | | | | | | | | | | |
|----------------------------------|--------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| EPDM TEMP 50 ±5 Sh A | Dicke (mm) | 0.5 | 1.0 | 1.5 | 2.0 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 |
| | Format (m) 3.6 x 1.2 | - | - | - | - | - | - | - | - | • |
| | Format (m) 10.0 x 1.3 | - | • | • | • | • | • | • | • | - |
| | Format (m) 20.0 x 1.3 | • | - | - | - | - | - | - | - | - |
| | Artikelnummer | 10251 | 10252 | 10253 | 10254 | 10255 | 10256 | 10257 | 10252 | 10258 |
| | Dicke (mm) | 10.0 | | | | | | | | |
| | Format (m) 3.6 x 1.2 | • | | | | | | | | |
| | Artikelnummer | 10259 | | | | | | | | |
| HNBR 65 ±5 Sh A | Dicke (mm) | 1.0 | 1.5 | 2.0 | 3.0 | 4.0 | | | | |
| | Format (m) 10.0 x 1.5 | - | - | - | • | • | | | | |
| | Format (m) 30.0 x 1.5 | • | • | • | - | - | | | | |
| | Artikelnummer | 10298 | 10299 | 10300 | 10301 | 10302 | | | | |
| NBR 60 ±5 Sh A hell KTW | Dicke (mm) | 1.0 | 1.5 | 2.0 | 2.5 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 |
| | Format (m) 5.0 x 1.4 | - | - | - | - | - | - | • | • | • |
| | Format (m) 10.0 x 1.4 | - | - | - | • | • | • | - | - | - |
| | Format (m) 20.0 x 1.4 | • | • | • | - | - | - | - | - | - |
| | Artikelnummer | 10303 | 10304 | 10305 | 10306 | 10307 | 10308 | 10309 | 10310 | 10311 |
| | Dicke (mm) | 10.0 | | | | | | | | |
| | Format (m) 5.0 x 1.4 | • | | | | | | | | |
| | Artikelnummer | 10312 | | | | | | | | |
| NBR 70-SP 70 ±5 Sh A | Dicke (mm) | 0.5 | 0.8 | 1.0 | 1.2 | | | | | |
| | Format (m) 20.0 x 1.5 | • | • | • | • | | | | | |
| | Artikelnummer | 10313 | 10314 | 10315 | 10316 | | | | | |
| NBR 70 70 ±5 Sh A | Dicke (mm) | 1.0 | 2.0 | 3.0 | 4.0 | 5.0 | 6.0 | | | |
| | Format (m) 10.0 x 1.4 | - | - | • | • | • | • | | | |
| | Format (m) 20.0 x 1.4 | • | • | - | - | - | - | | | |
| | Artikelnummer | 10317 | 10318 | 10319 | 10320 | 10321 | 10322 | | | |

| Bezeichnung | | | | | | | | | | |
|--|--------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| NBR 3415 65 ±5 Sh A | Dicke (mm) | 1.5 | 2.0 | 3.0 | | | | | | |
| | Format (m) 30.0 x 1.2 | ● | ● | ● | | | | | | |
| | Artikelnummer | 10323 | 10324 | 10325 | | | | | | |
| | Dickentoleranz: ±0,15 mm | | | | | | | | | |
| NBR 70 ±5 Sh A Brose-Norm | Dicke (mm) | 1.0 | 1.4 | 2.0 | 2.5 | 3.0 | 4.0 | 5.0 | 6.0 | |
| | Format (m) 10.0 x 1.3 | - | - | - | - | - | - | ● | ● | |
| | Format (m) 10.0 x 1.4 | - | - | ● | ● | ● | ● | - | - | |
| | Format (m) 30.0 x 1.3 | - | ● | - | - | - | - | - | - | |
| | Format (m) 40.0 x 1.4 | ● | - | - | - | - | - | - | - | |
| | Artikelnummer | 10326 | 10327 | 10328 | 10329 | 10330 | 10331 | 10332 | 10333 | |
| NBR 60 ±5 Sh A FDA-Konform hell | Dicke (mm) | 1.0 | 1.5 | 2.0 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 | 10.0 |
| | Format (m) 5.0 x 1.2 | - | - | - | - | - | - | ● | ● | ● |
| | Format (m) 10.0 x 1.2 | ● | ● | ● | ● | ● | ● | - | - | - |
| | Artikelnummer | 10136 | 10137 | 10138 | 10139 | 10140 | 10141 | 10340 | 10341 | 10342 |
| NBR-Gas 80 ±5 Sh A | Dicke (mm) | 1.0 | 1.5 | 2.0 | 2.5 | 3.0 | 4.0 | 5.0 | 6.0 | |
| | Format (m) 10.0 x 1.4 | - | - | - | ● | ● | ● | ● | ● | |
| | Format (m) 20.0 x 1.4 | ● | ● | ● | - | - | - | - | - | |
| | Artikelnummer | 10343 | 10344 | 10345 | 10346 | 10347 | 10348 | 10349 | 10350 | |
| NBR TEMP 70 ±5 Sh A | Dicke (mm) | 1.0 | 1.5 | 2.0 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 | 10.0 |
| | Format (m) 3.6 x 1.2 | - | - | - | - | - | - | - | ● | ● |
| | Format (m) 10.0 x 1.3 | ● | ● | ● | ● | - | ● | ● | - | - |
| | Format (m) 10.0 x 1.4 | - | - | - | - | ● | - | - | - | - |
| | Format (m) 20.0 x 1.4 | ● | ● | - | - | - | - | - | - | - |
| | Artikelnummer | 10351 | 10352 | 10353 | 10354 | 10355 | 10356 | 10357 | 10358 | 10359 |
| NBR SSH 80 ±5 Sh A gelb | Dicke (mm) | 1.0 | 1.5 | 2.0 | 3.0 | | | | | |
| | Format (m) 10.0 x 1.4 | ● | ● | ● | ● | | | | | |
| | Artikelnummer | 10360 | 10361 | 10362 | 10363 | | | | | |
| NBR 85 ±5 Sh A 1 Einlage | Dicke (mm) | 1.0 | | | | | | | | |
| | Format (m) 30.0 x 1.2 | ● | | | | | | | | |
| | Artikelnummer | 10364 | | | | | | | | |

| Bezeichnung | | | | | | | | | | |
|---------------------------------------|--------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| NBR SP 65 ±5 Sh A | Dicke (mm) | 0.8 | 1.0 | 1.5 | 2.0 | 2.5 | 3.0 | 4.0 | 5.0 | 6.0 |
| | Format (m) 5.0 x 1.5 | - | - | - | - | - | - | - | - | ● |
| | Format (m) 10.0 x 1.5 | - | - | - | - | ● | ● | ● | ● | - |
| | Format (m) 30.0 x 1.5 | ● | ● | ● | ● | - | - | - | - | - |
| | Artikelnummer | 10365 | 10366 | 10367 | 10368 | 10369 | 10370 | 10371 | 10372 | 10373 |
| | Dicke (mm) | 8.0 | 10.0 | | | | | | | |
| | Format (m) 5.0 x 1.5 | ● | ● | | | | | | | |
| | Artikelnummer | 10374 | 10375 | | | | | | | |
| NBR / SBR 50 ±5 Sh A | Dicke (mm) | 0.5 | 1.0 | 1.5 | 2.0 | 2.5 | 3.0 | 4.0 | 5.0 | 6.0 |
| | Format (m) 10.0 x 1.4 | - | - | - | - | ● | ● | ● | ● | ● |
| | Format (m) 20.0 x 1.4 | - | ● | ● | ● | - | - | - | - | - |
| | Format (m) 30.0 x 1.2 | ● | - | - | - | - | - | - | - | - |
| | Artikelnummer | 10376 | 10377 | 10378 | 10379 | 10380 | 10381 | 10382 | 10383 | 10384 |
| | Dicke (mm) | 8.0 | 10.0 | 12.0 | 15.0 | 20.0 | 30.0 | | | |
| | Format (m) 1.67 x 1.4 | - | - | ● | ● | ● | ● | | | |
| | Format (m) 2.5 x 1.2 | - | - | - | ● | - | - | | | |
| | Format (m) 5.0 x 1.4 | ● | ● | ● | ● | ● | - | | | |
| | Artikelnummer | 10385 | 10386 | 10387 | 10388 | 10389 | 10390 | | | |
| NBR / SBR 65 ±5 Sh A | Dicke (mm) | 1.0 | 1.5 | 2.0 | 2.5 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 |
| | Format (m) 10.0 x 1.2 | - | - | - | ● | ● | ● | ● | ● | - |
| | Format (m) 20.0 x 1.2 | ● | ● | ● | - | - | - | - | - | - |
| | Format (m) 20.0 x 1.4 | ● | - | - | - | - | - | - | - | - |
| | Artikelnummer | 10391 | 10392 | 10393 | 10394 | 10395 | 10396 | 10397 | 10398 | 10399 |
| | Dicke (mm) | 10.0 | 12.0 | 15.0 | 20.0 | 25.0 | 30.0 | 35.0 | 40.0 | |
| | Format (m) 1.5 x 1.0 | - | ● | ● | ● | - | ● | ● | ● | |
| | Format (m) 5.0 x 1.2 | ● | - | - | - | - | - | - | - | |
| Artikelnummer | 10400 | 10401 | 10402 | 10403 | 10404 | 10405 | 10406 | 10407 | | |
| NBR / SBR 65 ±5 Sh A 2 Einlagen | Dicke (mm) | 3.0 | 4.0 | 5.0 | 6.0 | | | | | |
| | Format (m) 5.0 x 1.2 | - | - | - | ● | | | | | |
| | Format (m) 10.0 x 1.2 | ● | ● | ● | - | | | | | |
| | Artikelnummer | 10409 | 10410 | 10411 | 10412 | | | | | |

| Bezeichnung | | | | | | | | | | |
|---------------------------------|--------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| NBR / SBR 80 ±5 Sh A | Dicke (mm) | 0.8 | 1.0 | 1.5 | 2.0 | 2.5 | 3.0 | 4.0 | 5.0 | 6.0 |
| | Format (m) 10.0 x 1.2 | - | - | - | - | ● | ● | ● | ● | ● |
| | Format (m) 20.0 x 1.4 | ● | ● | ● | ● | - | - | - | - | - |
| | Artikelnummer | 10413 | 10414 | 10415 | 10416 | 10417 | 10418 | 10419 | 10420 | 10421 |
| | Dicke (mm) | 8.0 | 10.0 | | | | | | | |
| | Format (m) 5.0 x 1.2 | ● | ● | | | | | | | |
| | Artikelnummer | 10422 | 10423 | | | | | | | |
| NR 45 ±5 Sh A grau | Dicke (mm) | 0.3 | 0.5 | 0.8 | | | | | | |
| | Format (m) 30.0 x 1.2 | ● | ● | - | | | | | | |
| | Format (m) 40.0 x 1.2 | - | - | ● | | | | | | |
| | Artikelnummer | 10424 | 10425 | 10426 | | | | | | |
| NR 65 ±5 Sh A | Dicke (mm) | 0.3 | 0.5 | | | | | | | |
| | Format (m) 30.0 x 1.2 | - | ● | | | | | | | |
| | Format (m) 60.0 x 1.2 | ● | - | | | | | | | |
| | Artikelnummer | 10427 | 10428 | | | | | | | |
| SBR 50 ±5 Sh A | Dicke (mm) | 1.0 | 1.5 | 2.0 | 2.5 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 |
| | Format (m) 5.0 x 1.2 | - | - | - | - | - | - | ● | ● | ● |
| | Format (m) 10.0 x 1.2 | - | - | - | ● | ● | ● | ● | ● | - |
| | Format (m) 20.0 x 1.4 | ● | ● | ● | - | - | - | - | - | - |
| | Artikelnummer | 10429 | 10430 | 10431 | 10432 | 10433 | 10434 | 10435 | 10436 | 10437 |
| | Dicke (mm) | 10.0 | 12.0 | 15.0 | 20.0 | 30.0 | 40.0 | | | |
| | Format (m) 1.5 x 1.0 | - | ● | ● | ● | ● | ● | | | |
| | Format (m) 5.0 x 1.2 | ● | - | - | - | - | - | | | |
| | Artikelnummer | 10438 | 10439 | 10440 | 10441 | 10442 | 10443 | | | |
| SBR 60 ±5 Sh A abriebfest | Dicke (mm) | 1.0 | 1.5 | 2.0 | 2.5 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 |
| | Format (m) 5.0 x 1.4 | - | - | - | - | - | - | - | - | ● |
| | Format (m) 10.0 x 1.4 | - | - | - | ● | ● | ● | ● | ● | - |
| | Format (m) 20.0 x 1.4 | ● | ● | ● | - | - | - | - | - | - |
| | Artikelnummer | 10444 | 10445 | 10446 | 10447 | 10448 | 10449 | 10450 | 10451 | 10452 |
| | Dicke (mm) | 10.0 | | | | | | | | |
| | Format (m) 5.0 x 1.4 | ● | | | | | | | | |
| | Artikelnummer | 10453 | | | | | | | | |

| Bezeichnung | | | | | | | | | | |
|--|--------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 60 ±5 Sh A hell FDA-Konform | Dicke (mm) | 1.0 | 1.5 | 2.0 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 | 10.0 |
| | Format (m) 5.0 x 1.2 | - | - | - | - | - | - | ● | ● | ● |
| | Format (m) 10.0 x 1.2 | ● | ● | ● | ● | ● | ● | - | - | - |
| | Artikelnummer | 10454 | 10455 | 10456 | 10457 | 10458 | 10459 | 10460 | 10461 | 10462 |
| | Dicke (mm) | 20.0 | | | | | | | | |
| | Format (m) 1.5 x 1.0 | ● | | | | | | | | |
| | Artikelnummer | 10463 | | | | | | | | |
| SBR 65 ±5 Sh A hell KTW | Dicke (mm) | 1.0 | 1.5 | 2.0 | 2.5 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 |
| | Format (m) 5.0 x 1.4 | - | - | - | - | - | - | - | - | ● |
| | Format (m) 10.0 x 1.4 | - | - | - | ● | ● | ● | ● | ● | |
| | Format (m) 20.0 x 1.4 | ● | ● | ● | - | - | - | - | - | - |
| | Artikelnummer | 10464 | 10465 | 10466 | 10467 | 10468 | 10469 | 10470 | 10471 | 10472 |
| | Dicke (mm) | 10.0 | 12.0 | 15.0 | 20.0 | | | | | |
| | Format (m) 2.5 x 1.3 | - | ● | ● | ● | | | | | |
| | Format (m) 5.0 x 1.4 | ● | - | - | - | | | | | |
| Artikelnummer | 10473 | 10474 | 10475 | 10476 | | | | | | |
| SBR 65 ±5 Sh A hell 1 Einlage | Dicke (mm) | 1.5 | 2.0 | 3.0 | 4.0 | 5.0 | 6.0 | | | |
| | Format (m) 10.0 x 1.4 | - | - | ● | ● | ● | ● | | | |
| | Format (m) 20.0 x 1.4 | ● | ● | - | - | - | - | | | |
| | Artikelnummer | 10163 | 10164 | 10165 | 10166 | 10167 | 10168 | | | |
| SBR 67 65 ±5 Sh A hell 2 Einlagen | Dicke (mm) | 3.0 | 4.0 | 5.0 | 6.0 | | | | | |
| | Format (m) 10.0 x 1.4 | ● | ● | ● | ● | | | | | |
| | Artikelnummer | 10483 | 10484 | 10485 | 10486 | | | | | |
| SBR 70 ±10 Sh A | Dicke (mm) | 1.0 | 1.5 | 2.0 | 2.5 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 |
| | Format (m) 5.0 x 1.2 | - | - | - | - | - | - | - | ● | ● |
| | Format (m) 10.0 x 1.2 | - | - | - | ● | ● | ● | ● | ● | - |
| | Format (m) 20.0 x 1.2 | ● | ● | ● | - | - | - | - | - | - |
| | Artikelnummer | 10487 | 10488 | 10489 | 10490 | 10491 | 10492 | 10493 | 10494 | 10495 |
| | Dicke (mm) | 10.0 | 12.0 | 15.0 | 20.0 | 25.0 | 30.0 | 35.0 | 40.0 | 50.0 |
| | Format (m) 1.5 x 1.0 | - | ● | ● | ● | ● | ● | ● | ● | ● |
| | Format (m) 5.0 x 1.2 | ● | - | - | - | - | - | - | - | - |
| | Artikelnummer | 10496 | 10497 | 10498 | 10499 | 10500 | 10501 | 10502 | 10503 | 10504 |

| Bezeichnung | | | | | | | | | | |
|---|---------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|
| SBR / NR 70 70 ±7 Sh A beidseitig glatt | Dicke (mm) | 1.0 | 1.5 | 2.0 | 2.5 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 |
| | Format (m) 5.0 x 1.4 | - | - | - | - | - | - | - | - | • |
| | Format (m) 10.0 x 1.4 | - | - | - | - | • | • | • | • | - |
| | Format (m) 20.0 x 1.4 | • | • | • | • | - | - | - | - | - |
| | Artikelnummer | 10505 | 10506 | 10507 | 10508 | 10509 | 10510 | 10511 | 10512 | 10513 |
| | Dicke (mm) | 10.0 | 12.0 | 15.0 | 20.0 | 25.0 | 30.0 | 35.0 | 40.0 | 50.0 |
| | Format (m) 2.5 x 1.4 | • | • | • | • | • | • | • | • | • |
| | Format (m) 5.0 x 1.4 | • | • | • | • | • | • | • | • | • |
| | Artikelnummer | 10514 | 10515 | 10516 | 10517 | 10518 | 10519 | 10520 | 10521 | 10517 |
| | SBR 70 ±10 Sh A 1 Einlage | Dicke (mm) | 1.5 | 2.0 | 3.0 | 4.0 | 5.0 | 6.0 | | |
| Format (m) 5.0 x 1.2 | | - | - | - | - | - | • | | | |
| Format (m) 10.0 x 1.2 | | - | - | • | • | • | • | | | |
| Format (m) 20.0 x 1.2 | | • | • | - | - | - | - | | | |
| Artikelnummer | | 10522 | 10523 | 10524 | 10525 | 10526 | 10527 | | | |
| SBR 70 ±10 Sh A 2 Einlagen | Dicke (mm) | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 | 10.0 | | | |
| | Format (m) 5.0 x 1.2 | - | - | - | • | • | • | | | |
| | Format (m) 10.0 x 1.2 | • | • | • | • | - | - | | | |
| | Artikelnummer | 10163 | 10164 | 10165 | 10166 | 10167 | 10168 | | | |
| SBR 85 ±5 Sh A | Dicke (mm) | 1.0 | 1.5 | 2.0 | 2.5 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 |
| | Format (m) 5.0 x 1.2 | - | - | - | - | - | - | - | • | • |
| | Format (m) 10.0 x 1.2 | - | - | - | • | • | • | • | • | - |
| | Format (m) 20.0 x 1.2 | • | • | • | - | - | - | - | - | - |
| | Artikelnummer | 10534 | 10535 | 10536 | 10537 | 10538 | 10539 | 10540 | 10541 | 10543 |
| | Dicke (mm) | 10.0 | | | | | | | | |
| | Format (m) 5.0 x 1.2 | • | | | | | | | | |
| | Artikelnummer | 10544 | | | | | | | | |

| Bezeichnung | | | | | | | | | | |
|--|--------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| SBR / NR 40 ±5 Sh A grau | Dicke (mm) | 1.0 | 1.5 | 2.0 | 2.5 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 |
| | Format (m) 5.0 x 1.2 | - | - | - | - | - | - | - | ● | ● |
| | Format (m) 10.0 x 1.2 | - | - | - | ● | ● | ● | ● | - | - |
| | Format (m) 20.0 x 1.2 | ● | ● | ● | - | - | - | - | - | - |
| | Artikelnummer | 10487 | 10488 | 10489 | 10490 | 10491 | 10492 | 10493 | 10494 | 10495 |
| | Dicke (mm) | 10.0 | 12.0 | 15.0 | 20.0 | | | | | |
| | Format (m) 1.5 x 1.0 | - | - | ● | ● | | | | | |
| | Format (m) 5.0 x 1.2 | ● | ● | ● | ● | | | | | |
| | Artikelnummer | 10554 | 10555 | | | | | | | |
| SBR / NR 45 ±5 Sh A weiss FDA | Dicke (mm) | 1.0 | 1.5 | 2.0 | 2.5 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 |
| | Format (m) 5.0 x 1.4 | - | - | - | - | - | - | - | - | ● |
| | Format (m) 10.0 x 1.4 | - | - | - | ● | ● | ● | ● | ● | - |
| | Format (m) 20.0 x 1.4 | ● | ● | ● | - | - | - | - | - | - |
| | Artikelnummer | 100558 | 100559 | 100560 | 100561 | 100562 | 100563 | 100564 | 100565 | 100566 |
| | Dicke (mm) | 10.0 | | | | | | | | |
| | Format (m) 5.0 x 1.4 | ● | | | | | | | | |
| | Artikelnummer | 100567 | | | | | | | | |
| SBR / NR 50 ±5 Sh A rot | Dicke (mm) | 1.0 | 1.5 | 2.0 | 2.5 | 3.0 | 4.0 | 5.0 | 6.0 | 8.0 |
| | Format (m) 5.0 x 1.4 | - | - | - | - | - | - | - | - | ● |
| | Format (m) 10.0 x 1.4 | - | - | ● | ● | ● | ● | ● | - | ● |
| | Format (m) 20.0 x 1.4 | ● | ● | ● | - | - | - | - | - | - |
| | Artikelnummer | 100568 | 100569 | 100570 | 100571 | 100572 | 100573 | 100574 | 100575 | 100576 |
| | Dicke (mm) | 10.0 | | | | | | | | |
| | Format (m) 5.0 x 1.4 | ● | | | | | | | | |
| | Artikelnummer | 100577 | | | | | | | | |

● Verfügbar
 - Nicht verfügbar